

319	318-9	318-9	318-9	318-20	318-20
T.	7 N	R.	1 W	2d Mer.	
7	6	6	6	5	5
9 6 32 5 26 4 21 3 17 2 14 1 5					
31	31	25	21	17	13
9 7 30 8 25 9 21 10 17 11 13 12 4					
31	30	24	20	16	12
8 18 29 17 24 16 20 15 16 14 12 13 4					
29	29	23	19	15	12
8 19 28 20 23 21 19 22 15 23 11 24 4					
28	27	23	19	15	11
7 30 27 29 22 28 18 27 15 26 11 25 3					
27	26	22	18	14	10
7 31 26 32 22 33 18 34 14 35 10 36 3					

Edward Kelly

Alfred 1st 1811

township No 7 North Range No 1 West 24 Merid

Commenced at TwpCor\_III

South Boundary

Start On the South Boundary of Sec. 36 T7 N R1 W

200 Set a gr. Sec. post from which a  
CLCr\_W25 Birch 6 in. dia. bears N18 W12 lks dist. & a

do 5 " " " S45 W6 " "

200 Set post for the Cor of Secs. 35 & 36 from which a

CLCr\_U25 Birch 16 in dia. bears S34 E6 lks. dist. & a

do 12 " " " N10 E26 " "

Land hilly, timber Oak

200 On the South Boundary of Sec. 35 T7 N R1 W

25 To a Poplar 30 in. dia. on the line

200 Set a gr. Sec. post from which a  
CLCr\_S25 Mulberry 12 in. dia. bears N65 W36 lks. dist. & a

Blue Ash 10 " " S26 E10 " "

200 Set a post for Cor of Secs 34 & 35 from which a

CLCr\_Q25 Birch 15 in dia. bears N52 E8 lks. dist. & a

do 9 " " " S75 W12 " "

Hilly Oak Land. March 31 1811

200 On the South Boundary of Sec 34 T7 N R1 W

200 To a Brook 6 links wide Course S

200 Set a gr. Sec. post from which a  
CLCr\_O25 Birch 18 in. dia. bears S65 E6 lks. dist. & a

do 12 " " " N83 W20 " "

2750 To a Creek 250 lks. wide Course S

200 Set a post for the Cor of Secs 33 & 34 from which

CLCr\_M25 Birch 20 in dia. bears N82 W40 lks dist. & an

Elm 10 " " N77 E27 " "

Post on the Bank of Creek

Land hilly April 1st 1811



Township N<sup>o</sup> 7 R Range N<sup>o</sup> 1 West 2d 47

CLCr\_K25

West On South Boundary of Sec. 33 S 7 R 1 W  
26.00 To a Brook 40 links wide. Corner N  
40.00 Set a gr. Sec. post from which a  
Beech 12 in. dia. bears S 54 N 7 lks. dist.  
Sugar 30 " " N 10 E 23. "  
57.00 To a Spring Corner S  
60.00 " Do " S E.

CLCr\_I25

65.00 To a Sugar 18 in. dia. in the line  
80.00 Set a post for the Cor. of Secs 32+33 from which  
Beech 30 in. dia. bears S 60 N 11 links dist.  
Do 30 " " N 71 E 27 " "  
Land hilly. Timber Beech on the 1<sup>st</sup> 1/2 mile  
2<sup>nd</sup> 1/2 rich Timber, Sugar. Beech Act

CLCr\_G25

West On the South Boundary of Sec. 32 S 7 R  
34.00 To a Beech 16 in. dia. stands in the line  
40.00 Set a gr. Sec. post from which a  
Beech 12 in dia bears S 60 E 25 lks dist.  
Sugar 8 " " S 77 N 25 " "

CLCr\_E25

65.00 To a Brook 3 links wide Corner N  
80.00 Set a post for Cor. of Secs. 31+32 from which  
Poplar 36 in dia bears S 19 N 17 lks dist. + a  
Dogwood 8 " " N 71 N 27 "  
Land rich. Timber Sugar. Walnut. Beech

CLCr\_C25

West On the South Boundary of Sec 31 S 7 R  
40.00 Set a gr. Sec. post from which a  
Dogwood 8 in dia bears S 50 N 25 lks dist.  
Beech 15 " " N 6 E 26 " "

Twpcor\_II

82.75 To 450 links North of Harris 6 mile p  
Continues the R<sup>o</sup> line to intersection of

Township N° 7 N Range N° 1 West 2d Merid

Twpcor\_II

to Town 6 & 7 Range 1 & 2 N which a  
Beech 30 in. dia. bears S 77 N 32 lks. dist. & a  
Poplar 30 " " N 2 N 35 " "  
Good Oak level land.

The 2d Principal Meridian on the East Boundary  
of S 7. N. R. 1 N.

North On the East Boundary of Sec. 36 S 7 N. R. 1 N.  
Assumed the Variation line to be 6° 25'. Continued  
the 2d Principal Meridian.

40.00 Set a gr. Sec. post from which a  
Logwood 5 in. dia. bears N 74 N 9 lks. dist. & a  
Do 6 " " " S 45 E 20 " "

80.00 Set a post for the Cor. of Secs 25 & 36 fr. wh. a  
Ironwood 6 in. dia. bears S 87 E 3 lks. dist. & a  
Sugar 9 " " " N 24 N 18 " "  
Hilly Oak Land

North On the East Boundary of Sec. 25 S 7 N. R. 1 N.

12.00 To a Brook 10 links wide, Course N

25.00 " do 10 " " " N

32.50 To a Beech 12 in. dia. in the line

40.00 Set a gr. Sec. post from which a  
Sugar 24 in. dia. bears N 15 N 13 lks. dist. & a  
Beech 12 " " " S 15 N 23 " "

57.00 To a Brook 6 links wide, Course N.

71.50 " R. Oak 36 in. dia. stands in the line

75.00 To a Brook 4 links wide, Course N.

80.00 Set a post for the Cor. of Secs 24 & 25 fr. which a  
N. Oak 34 in. dia. bears N 25 N 9 lks. dist. & a  
Beech 10 " " " N 83 E 11 " "



Township N<sup>o</sup> 7 R Range 1 West 2<sup>d</sup> Merid

Land good Bottom, Timber Beech Sugar &c

March 27 1811

North On the East Boundary of Sec 24 T 7 N R 1 W

21.00 To a R. Oak 36 in. dia. by the line

CICr\_Y15

40.00 Set a gr. Sec post from which a  
Beech 16 in. dia. bears N 4 W 20 links dist. & a  
Hickory 16 " " S 21 links dist. & over  
a very high hill

CICr\_Y13

80.00 Set a post for the Cor. of Secs. 13 & 24 fr. which  
N. Oak 15 in. dia. bears N 65 E 4 lks dist. & a  
Beech 7 " " N 55 W 5 " "  
Land level, Timber Beech Sugar &c

North On the East Boundary of Sec. 13 T 7 N R 1 W

6.00 To a Brook 30 links wide, Course S. W

38.00 " " do do " " " " " " N

CICr\_Y11

40.00 a Hickory 24 in. dia. stands for the Cor. of gr. Sec.

45.00 Came to a Creek running S. W kept up in it  
15 chs. & pt. to the West

CICr\_Y09

80.00 a Beech 24 in. dia. stands for the Cor. of Secs 13 &  
Hilly Beech Land

North On the East Boundary of Sec. 12 T 7 N R 1 W

1.00 To a Brook 250 links wide, Course W

CICr\_Y07

40.00 Set a gr. Sec post from which a  
Beech 10 in. dia. bears S 35 W 13 lks dist. & a  
N Oak 36 " " N 16 W 20 " "

66.50 To a N. Oak 33 in. dia. in the line

CICr\_Y05

80.00 Set a post for the Cor. of Secs 1 & 12 from which  
Sugar 16 in. dia. bears N 4 E 16 lks. dist. & a

Township 7 N. Range No 1 West 2d Merid

CHS LRS

ClCr\_Y05

Sugar 1.5 in. dia. bears S 65 N 21 lks. dist. :  
Land muddling over high hills, Timber Oak  
Buck re.

North On the East Boundary of Sec. 1. T. 7 N. R. 1 W.  
37.75 To a N Oak 36 in. dia. on the line

ClCr\_Y03

40.00 Set a gr. Sec. post from which a  
N. Oak 14 in. dia. bears N 45 E 19 links dist. & a  
Hickory 6 " " " S 45 N 34 " "

75.00 To a Brook 3 links wide. Course E.

80.00 Set a post for the Cor of Secs 718 N R 1 E & 1 W  
from which a N Oak 24 in. dia. bears N 15 E 25 lks. dist  
and a Bush 10 " " " S 39 N 3 " "  
Hilly Oak land

TwpCor\_VII

Commencing at TwpCor\_VII

North Boundary Apr 2d 1811

West On the South Boundary of Sec. 36 T. 7 N. R. 1 W

40.00 Set a gr. Sec. post from which a  
N Oak 10 in. dia. bears S 63 N 30 links dist & a  
Do 18 " " " N 83 E 19 " "

Per\_W25

42.00 To a Brook 5 links wide. Course S E

80.00 Set a post for the Cor of Secs. 35 & 36 fr. which a  
Hickory 3 in. dia. bears S 62 E 3 links dist. & a  
N Oak 20 " " " N 32 N 18 " "

Per\_U25

Poor Hilly Oak Land

West On the South Boundary of Sec 35 T. 8 N. R. 1 W

39.00 To a Brook 2.5 links wide. Course S.

40.00 Set a gr. Sec. post from which a  
Oak 16 in. dia. bears N 50 N 10 links dist. & a  
N. Beech 3 " " " S 59 E 14 " "

Per\_S25



Township No 7 N. Range 1 West 3d Merid

Per\_Q25

80.00 Set a post for the Cor of Secs 34 & 35 for which a  
 Birch 5 in. dia. bears N 72 W 11 links dist. & a  
 Hickory 11 " " " S 4 E 21 " "  
 Land middling. Similar Birch & Sugar

MAV 7  
 8 N 10-15-91

West On the South Boundary of Secs 34 & 35 N. R. 1 W  
 13.50 Is a Brook 8 links wide. Course N E

Per\_O25

40.00 Set a gr. Sec. post from which a  
 Sugar 14 in. dia. bears N 31 E 10 links dist. & a  
 Birch 4 " " " S 45 W 25 " "

Per\_M25

80.00 Set a post for the Cor of Secs 33 & 34 for which  
 Sugar 18 in. dia. bears N 35 W 27 links dist. & a  
 Birch 10 " " " S 28 E 5 " "  
 Land same as last mile

Per\_K25

West On the South Boundary of Sec. 33 T 8 N. R. 1 W  
 40.00 Set a gr. Sec. post from which a  
 Hickory 8 in. dia. bears N 42 W 12 links dist. & a  
 Birch 9 " " " S 44 E 26 " "

Per\_I25

57.50 Is a Brook 10 links wide. Course S.  
 80.00 Set a post for the Cor of Secs 32 & 33 for which a  
 Birch 14 in. dia. bears N 80 E 7 links dist. & a  
 Sugar 10 " " " S 45 W 20 " "  
 Poor Land. Similar Birch & W. Oak

Per\_G25

West On the South Boundary of Sec 32 T 8 N. R. 1 W  
 40.00 Set a gr. Sec. post from which a  
 Hickory 13 in. dia. bears N 54 E 6 links dist. & a  
 Dogwood 4 " " " S 27 W 22 " "

Per\_E25

66.50 Is a Brook 8 links wide. Course S.  
 80.00 Set a post for the Cor of Secs 31 & 32 for which a

Township N<sup>o</sup> 7 N Range 1 West 2<sup>d</sup> Merid

CHE LKS

Per\_E25

N Beech 4 in. dia. bears S 70 E 12 links dist. & a  
do 4 " " " West 13 " "  
Poor Beech Land

Per\_C25

West On the South Boundary of Sec 31 T 8 N R 1 W  
40.00 Set a gr. Sec post from which a  
Sugar 6 in. dia. bears N 52 E 3 links dist. & a  
do 4 " " " S 65 W 16 " "

TwpCor\_VI

56.50 To a Creek 75 links wide Course S. E.  
80.00 Set a trip post for the Cor of Sec 7 & 8 N R 1 & 2 W  
Land rich & level Timber Sugar, Oak Walnut &c

West Boundary

Commencing at TwpCor\_III

North On the East Boundary of Sec. 36 T 7 N R. 2 W

3.00 A large Spring to the East. Run N. E.  
6.00 To a Brook 3 links wide. Course E  
30.00 " do 6 " " " E

InCr\_Y23

40.00 Set a gr. Sec. post from which a  
Beech 3 1/4 in. dia. bears S 50 W 20 links dist. & a  
do 26 " " " N 12 E 49 " "

InCr\_Y21

80.00 Set a post for the Cor of Secs. 25 & 36 from which a  
Beech 1 1/2 in. dia. bears N 82 W 18 links dist. & a  
do 14 " " " S 8 E 39 " "  
Hilly Oak Land

InCr\_Y19

North On the East Boundary of Sec. 25 T 7 N R. 2 W

40.00 Set a gr. Sec post from which a  
Buckeye 1 in. dia. bears N 27 W 24 links dist. & a  
Elm 1 1/2 " " " S 46 W 26 " "

InCr\_Y17

80.00 Set a post for the Cor of Secs. 24 & 25 from which a



Township N<sup>o</sup> 7 N Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

InCr\_Y17

Bank 18 in dia. bears N 14 W 11 links dist & a  
Do 18 " " " S 22 W 42 " "  
Hilly Oak Land

InCr\_Y15

North On the East Boundary of Sec 24 T 7 N R. 2 W  
30.00 In the mouth of a Cave facing the N & extending  
Eastwardly, nearly straight & completely arched  
on an average 6 feet high and 7 feet in width  
We measured 300 links, it appeared to extend in  
the same direction & to increase in size but for  
want of light we ventured no farther. There is a  
1st rate Spring running from it

40.00 Set a gr. Sec. post from which a  
Bank 18 in dia. bears N 86 E 11 links dist & a  
Do 18 " " " S 86 W 21 " "

43.00 Is a Brook 15 links wide, Course E

60 75 Is a Sugar 24 in dia. in the line

78.50 Is a Brook 150 links wide Course S. E.

InCr\_Y13

80.00 Set a post on the Bank of a Brook, Cor of Sec  
13 & 24 from which a  
Sugar 12 in dia bears N 29 E 7 links dist & a  
Elm 18 " " " N 63 W 31 " "  
Good Land Timber Beech Sugar & Oak

InCr\_Y11

North On the East Boundary of Sec 13 T 7 N R. 2 W

40.00 Set a gr. Sec post from which a  
Sugar 14 in dia. bears N 55 E 10 links dist & a  
Do 16 " " " S 55 W 15 " "

55.00 Is a Brook 150 links wide, Course S. W.

66.00 Is a Sugar 12 in dia. in the line

73.00 " Brook Course S. E.

Township N<sup>o</sup> 7 N Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

80.00 Set a post for the Cor of Secs. 12 + 13 from which a  
 Beech 36 in. dia. bears N 50 E 17 links dist + a  
 do 16 " " " N 80 W 34 " "  
 Rich land good Mill seats + well timbered.

North On the East Boundary of Sec 12 T 7 N R 2 W  
 15.00 To a Brook Course S W  
 22.00 " " do " S. E.  
 34.00 " " Brook 20 links wide Course S W.  
 40.00 Set a gr. Sec. post from which a  
 Beech 36 in. dia bears N 15 E 14 links dist + a  
 do 24 " " " S 5 E 31 " "

47.00 To a Brook Course S W  
 77.00 " " do " S. E.  
 80.00 Set a post for the Cor of Secs. 14 + 12 from which a  
 Beech 16 in. dia bears N 71 W 14 links dist + a  
 Sugar 6 " " " S 83 E 19 " "  
 Good Land Timber Sugar Walnut Elm + c

North On the East Boundary of Sec 1 T 7 N R 2 W  
 15.00 To a Brook Course S W  
 30.00 To a Walnut 18 in. dia in the line  
 35.00 To a Ledge of Rock  
 40.00 Set a gr. Sec. post from which a  
 Beech 18 in. dia bears S 82 E 13 links dist + a  
 Elm 18 " " " N 10 W 25 " "

60.00 To a Spring Course E  
 77.00 Fall 150 links West of the post set by Jas Holmes  
 moved it to the intersection for the Cor of T 7 + 8  
 N R 1 + 2 W + set a post from which a  
 Beech 12 in. dia bears N 73 W 12 links dist + a



Township N<sup>o</sup> 7 N. Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

Twpcor\_VI

N Oak 30 in dia bears S 40 E 23 links dist  
Good Land Timber Sugar, Beech &c

April 4 1811

Surveyed By

Abraham Holmes  
Deputy Surveyor

Subdivision

North Between Secs. 35<sup>th</sup> and 36<sup>th</sup> T 7 N R. 1 W

CICr\_U23

40.00 Set a gr. Sec. post from which a  
Beech 18 in. dia. bears S 50 E 36 links dist & a  
Do 10 " " " N 78 W 7 " "

76.00 To a Brook 20 links wide. Corner N.

CICr\_U21

80.00 Set a post for the Cor. of Secs. 25 26 35 & 36 from which a  
Beech 18 in. dia. bears N 30 W 28 links dist & a  
Do 12 " " " S 56 E 28 " "  
Land rolling. Timber Oak & Hickory

East On a Random line between Secs 25 & 36 T 7 N R. 1 W

22.00 To a Brook 20 links wide. Corner S. W.

35.00 " " Do 200 " " " N. W.

40.00 Set a lump. gr. Sec. post

48.50 To the above named Brook 20 links wide Corner S. E.

80.10 Intersect the N. & S. line on East Boundary at the post  
Cor. of Secs 25 & 36. Land the same

West On the line between Secs 25<sup>th</sup> and 36<sup>th</sup> T 7 N R. 1 W

40.05 Set the lump gr. Sec. post at the av. dist on the line  
from which a Sugar 10 in. dia. bears S 7 N 40 links dist

CICr\_W21

Downship N<sup>o</sup> 7 N Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

and a Sugar 18 in. dia. bears N 77 E 32 links dist  
To the post Cor. Secs. 25, 26, 35 & 36.

North Between Secs 25<sup>and</sup> 26 S 7 N. R. 1 N  
Set a gr. Sec. post from which a  
Hickory 10 in. dia. bears S 15 N 27 links dist & a  
Elm 18 " " " N 47 N 18 " "  
Set a post for the Cor. of Secs. 23, 24, 25 & 26 from which  
a Beech 15 in dia bears N 15 E 25 lks dist & a  
Do 8 " " " S 16 N 23 " "  
Land the same

East On the Random line between Secs. 24 & 25 S 7 N. R. 1 N  
Set a limp gr. Sec. post  
Is a Brook 150 links wide, Course S. W.  
Intersect the East Boundary 44 links South of the  
post Cor. of Secs. 24 & 25 Land the same

West On the true line between Secs. 24 & 25 S 7 N. R. 1 N  
Set the limp gr. Sec. post at the av. dist in the true line  
from which a Beech 12 in. dia bears S 4 E 11 links dist  
and a Do 10 " " " N 82 N 12 " "  
To the post Cor. of Secs. 23, 24, 25 & 26.

North Between Secs 24<sup>and</sup> 23 S 7 N. R. 1 N  
Set a gr. Sec. post from which a  
Beech 8 in. dia. bears S 51 E 9 links dist & a  
Do 4 " " " S 20 N 13 " "  
Set a post for the Cor. of Secs. 13, 14, 23 & 24 from which  
Maple 5 in. dia. bears S 21 N 23 links dist & a  
Do 8 " " " N 55 N 39 " "  
Land line Limber same



Township N<sup>o</sup> 7 N Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

East On the Random line between Secs 13 & 24 S 7 N R. 1 N  
40.00 Set a lump gr. Sec post  
55.50 To a Brook 150 links wide, Course S E.  
80.12 Intersect the N<sup>th</sup> & S line on East Boundary at the Tree  
Cor. of Secs 13<sup>th</sup> & 24, Land the same

West On the true line between Secs 13 & 24 S 7 N R. 1 N  
40.06 Set the lump gr. Sec post at the as. dist on the true line  
from which a Beech 10 in. dia. bears N. 20 links dist  
and a do 15 " " " S 64 W 20 " "  
80.12 To the post Cor of Secs 13 14 23 & 24.

North Between Secs 13<sup>th</sup> & 14 S 7 N R. 1 N.  
40.00 Set a gr. Sec. post from which a  
Beech 20 in. dia. bears S 14 N 23 links dist. & a  
do 12 " " " S 70 E 20 " "  
80.00 Set a post for the Cor of Secs 11, 12, 13 & 14 for which  
Hickory 8 in. dia. bears S 30 E 7 links dist. & a  
N. Oak 18 " " " N 68 W 22 " "  
Land flat Timber Beech, Gum, Ash, Oak & Walnut

East On a Random line between Secs 12 & 13 S 7 N R. 1 N  
25.00 To a Brook 15 links wide, Course S.  
40.00 Set a gr. Sec. Lump post  
76.00 To a Brook 200 links wide, Course S.  
80.00 Intersect the East Boundary at the post Cor of  
Secs 12 & 13  
Land the same

Township N<sup>o</sup> 7 N

East Between Secs 13 & 24 S 7 N R. 1 N  
40.00 Set a lump gr. Sec post  
55.50 To a Brook 150 links wide, Course S E.  
80.12 Intersect the N<sup>th</sup> & S line on East Boundary at the Tree  
Cor. of Secs 13<sup>th</sup> & 24, Land the same

West Between Secs 13 & 24 S 7 N R. 1 N  
40.06 Set the lump gr. Sec post at the as. dist on the true line  
from which a Beech 10 in. dia. bears N. 20 links dist  
and a do 15 " " " S 64 W 20 " "  
80.12 To the post Cor of Secs 13 14 23 & 24.

North Between Secs 13<sup>th</sup> & 14 S 7 N R. 1 N.  
40.00 Set a gr. Sec. post from which a  
Beech 20 in. dia. bears S 14 N 23 links dist. & a  
do 12 " " " S 70 E 20 " "  
80.00 Set a post for the Cor of Secs 11, 12, 13 & 14 for which  
Hickory 8 in. dia. bears S 30 E 7 links dist. & a  
N. Oak 18 " " " N 68 W 22 " "  
Land flat Timber Beech, Gum, Ash, Oak & Walnut

East On a Random line between Secs 12 & 13 S 7 N R. 1 N  
25.00 To a Brook 15 links wide, Course S.  
40.00 Set a gr. Sec. Lump post  
76.00 To a Brook 200 links wide, Course S.  
80.00 Intersect the East Boundary at the post Cor of  
Secs 12 & 13  
Land the same

West On the true line between Secs 13 & 24 S 7 N R. 1 N  
40.06 Set the lump gr. Sec post at the as. dist on the true line  
from which a Beech 10 in. dia. bears N. 20 links dist  
and a do 15 " " " S 64 W 20 " "  
80.12 To the post Cor of Secs 13 14 23 & 24.

Township N<sup>o</sup> 7 N. Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

West Between Secs. 12 + 13 T<sup>7</sup> N. R. 1 W. True line  
 40.00 Set the temp. gr. Sec. post at the av. dist. on the true line  
 from which a N. Oak 12 in. dia. bears S 5 N 3 links dist.  
 and an Ironwood 6 " " N 21 E 29 " "  
 80.00 Set post Cor. of Secs. 11, 12, 13 + 14.

North Between Secs. 11 and 12 T<sup>7</sup> N. R. 1 W.  
 21.00 To a Brook 10 links wide, Course S. E.  
 40.00 Set a gr. Sec. post from which a  
 N. Oak 20 in. dia. bears N 4 E 23 links dist. + a  
 Do 12 " " S 42 N 26 " "  
 73.00 To a Brook 12 links wide, Course S. E.  
 80.00 Set a post for the Cor. of Secs. 12, 11 + 12 fr. wh. a  
 Birch 10 in. dia. bears S 46 N 13 links dist. + a  
 Do 12 " " N 21 E 19 " "  
 Land Lilly, Timber Oak, Hickory, Birch &c

East On Random line between Secs. 1 + 12 T<sup>7</sup> N. R. 1 W.  
 40.00 Set a temp. gr. Sec. post  
 80.38 Intersect the East Boundary 48 links N. of the post  
 Cor. of Secs. 1 + 12. Land Lilly. Part chin  
 Timber Oak + Hickory

West On the true line between Secs. 1 + 12 T<sup>7</sup> N. R. 1 W.  
 40.19 Set the temp. gr. Sec. post at the av. dist. on  
 the true line from which a Dogwood  
 6 in. dia. bears N 30 W 17 links dist. + a  
 Maple 10 in. dia. bears S 9 N links dist.  
 80.38 To the post Cor. of Secs. 12, 11 + 12.



Township N<sup>o</sup> 7 N. Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid.

CHS. L&amp;S

North Between Secs. 1 + 2 T<sup>7</sup> N. R. 1 N.

CICr\_U03

40.00 Set a gr. Sec. post from which a  
 N Oak 20 in. dia. bears N 75 E - links dist + a  
 do 20 " " S 16 W 9 " "

CICr\_U01 =

Per\_U25

Common Corner

81.03 Intersect the N. Boundary at the post Cor. of  
 Secs. 35 + 36 T<sup>8</sup> N. R. 1 N. Land the same.

North Between Secs. 34<sup>and</sup> 35 T<sup>7</sup> N. R. 1 N.

32.00 To a Brook 12 link wide. Course N. W.

CICr\_Q23

40.00 Set a gr. Sec. post from which a  
 N. Walnut 10 in. dia. bears N 70 W 15 links dist + a  
 do 7 " " N 42 E 14 " "

CICr\_Q21

80.00 Set a post for the Cor. of Secs. 26, 27, 34 + 35 fr. wh. a  
 Beech 8 in. dia. bears N 72 E 17 links dist + a  
 do - " " N 11 W 8 " "  
 Land flat Timber Beech Gum Oak + Hickory

East On a Random line between Secs. 26 + 35 T<sup>7</sup> N. R. 1 N.

40.00 Set a lump. gr. Sec. post

72.00 To a Brook 200 links wide. Course N. W.

80.00 Intersect the N + S. line 12 links South of the post Cor.  
 Secs. 25, 26, 35 + 36, Land the same.

West On the true line between Secs. 26 + 35 T<sup>7</sup> N. R. 1 N.

40.00 Set the lump. gr. Sec. post on the true line, at the  
 av. dist from which a Beech 6 in. dia. bears  
 N 56 E 14 links dist.

CICr\_S21

and a Beech 10 in. dia. bears S 20 E 11 links dist.  
 80.00 To the post Cor. of Secs. 26, 27, 34 + 35

North Between Secs.

40.00 Set a gr. Sec.

Beech 15 in.

do 15 "

80.00 Set a post

East On a Random

40.00 Set a lump

80.00 Intersect the

Cor. of Secs.

Land the same

Township N<sup>o</sup> 7 N Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

North Between Secs. 26+27 T7 N R. 1 W.  
 40.00 Set the gr. Sec. post in a Brook 175 links wide Course N  
 80.00 Set a post for the Cor. of Secs. 22, 23, 26+27 from which  
 N Oak 20 in. dia. bears N 21 E 6 links dist. & a  
 Beech 10 " " S 44 N 39 " "  
 Land the same.

East On a Random line between Secs. 23+26 T7 N R. 1 W.  
 40.00 Set a temp. gr. Sec. post  
 80.00 Intersect the N + S line 10 links N of the post Cor.  
 of Secs. 23, 24, 25 + 26. Land the same.

West On the true line between Secs. 23+26 T7 N R. 1 W.  
 40.00 Set the temp. gr. Sec. post, at the av. dist. on the  
 true line from which a Poplar 5 in. dia.  
 bears N 45 E 11 links dist.  
 and a Poplar 5 in. dia. bears S 15 N 17 links  
 dist.  
 80.00 To the post Cor. of Secs. 22, 23, 26+27

North Between Secs. 22+23 T7 N. R. 1 W.  
 40.00 Set a gr. Sec. post from which a  
 Beech 15 in. dia. bears S 77 N 17 links dist. & a  
 Do 15 " " " N 45 N 27 " "  
 80.00 Set a post for the Cor. of Secs. 14, 15, 22+23

East On a Random line between Secs. 14+23 T7 N R. 1 W.  
 40.00 Set a temp. gr. Sec. post  
 80.00 Intersect the N + S line 20 links N of the post  
 Cor. of Secs. 13, 14, 23 + 24  
 Land the same.



Township N<sup>o</sup> 7 N. Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

West On the true line between Secs 14+23 T7 N.R. 1W  
 40.00 Set the camp gr. Sec. post at the av. dist on the true line  
 from which a Beech 10 in. dia. bears N77 E 16  
 links dist + a do 8 " " S 16 E 17

50.00 To the post Cor. of Secs 14, 15, 22 + 23.

North Between Secs 14+15 T7 N.R. 1W  
 40.00 Set a gr. Sec. post from which a  
 W. Oak 12 in. dia. bears S42 N4 links dist + a  
 do 15 " " N28 E23 " "

50.00 Set a post for the Cor. of Secs 10, 11, 14, 15 pr avh. a  
 Beech 6 in. dia. bears S39 N19 links dist + a  
 do 5 " " N20 E15 " "  
 Land and timber the same.

East On a Random line between Secs 11+14 T7 N.R. 1W  
 40.00 Set a camp. gr. Sec. post  
 80.50 Intersect the N+S line 75 links N of the post Cor. of  
 Secs 11, 12, 13 + 14

West On the true line between Secs 11+14 T7 N.R. 1W  
 40.25 Set the camp. gr. Sec. post at the av. dist on the true line  
 from which a Beech 3 in. dia. bears S62 E5  
 links dist. and a Beech - in. dia. bears  
 N28 E10 links dist  
 80.50 To the Cor. of Secs 10, 11, 14 + 15

Township N<sup>o</sup> 7 N Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

	CHS. LKS.	North	Between Secs 10 & 11 T <sup>7</sup> N. R. 1 W.
	14.30		To a Brook 15 in dia in the line
	42.00		Set a gr. Sec. post from which a
CLCr_Q07			Beech 4 in dia bears S 57 N 20 links, dist. & a
			N. Walnut 10 " " " S 73 E 20 " "
	80.00		Set a post for the Cor. of Secs 2, 3, 10 & 11 fr. wh. a
CLCr_Q05			Beech 12 in dia bears N 41 E 10 links dist. & a
			Do 5 " " " S 27 E 6 " "
			Land the same.
		East	On a Random line between Secs 2 & 11 T <sup>7</sup> N. R. 1 W.
	40.00		Set a gr. Sec. post
	80.00		Intersect the N. & E. line 100 links N of the post
			Cor. of Secs. 1, 2, 11 & 12. Land the same.
		West	On the true line between Secs 2 & 11 T <sup>7</sup> N. R. 1 W.
	40.00		Set the a. gr. Sec. post at the av. dist on the
CLCr_S05			true line from which a Beech 8 in dia
			bears S 16 N 4 links dist. and a Beech 4 in
			dia. bears N 9 E 20 links dist.
	80.00		To the post Cor. of Secs 2, 3, 10 & 11.
		North	Between Secs. 2 & 3 T <sup>7</sup> N. R. 1 W.
	40.00		Set a gr. Sec. post from which a
CLCr_Q03			Beech 15 in dia bears S 40 E 15 links dist. & a
			Do 15 " " " N 24 W 12 " "
	79.50		Intersect the N. Boundary 50 links N of the
CLCr_Q01			post Cor. of Secs 2 & 3 from which a
			N. Oak 15 in dia bears S 41 E 14 links dist. & a
			Beech 15 " " " N 76 W 17 " "
			Land & soil the same.



Township N<sup>o</sup> 7 N. Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

CHS LAB  
North Between Secs. 33 & 34 T<sup>7</sup> N. R. 1 W.

17.00 To a Brook 100 links wide Course S. E.

40.00 Set a gr. Sec. post from which a

CLCr\_M23 Brook 12 in. dia bears E 30 links dist + a

Elm 10 " " " N 69 W 25 " "

80.00 Set a post for the Cor. of Secs. 27, 28, 33 & 34 fr. wh. a

CLCr\_M21 Brook 12 in. dia bears S 51 E 14 links dist + a

Do 8 " " " N 4 E 23 " "

Land rolling. Timber Beech, Oak & Hickory.

East On a Random line between Secs. 27 & 34 T<sup>7</sup> N. R. 1 W.

31.00 To a Brook 20 links wide. Course S. E.

40.00 Set a temp. gr. Sec. post

80.00 Intersect the N + S line 50 links N of the post Cor. of Secs. 26, 27, 34 & 35. Land the same.

West On the true line between Secs. 27 & 34 T<sup>7</sup> N. R. 1 W.

40.00 Set the temp. gr. Sec. post at the 20 dist on the true line  
CLCr\_O21 from which a Maple 10 in. dia bears S 64 E 24 links dist  
and a Hickory 12 " " " S 27 W 14 " "

80.00 Set the post Cor. of Secs. 27, 28, 33 & 34.

North Between Secs. 27 & 28 T<sup>7</sup> N. R. 1 W.

24.00 To a Brook 150 links wide. Course S. E.

40.00 Set a gr. Sec. post from which a

CLCr\_M19 Brook 6 in. dia bears N 26 E 6 links dist + a

Do 10 " " " S 56 W 8 " "

54.00 To a Brook 150 links wide. Course N

80.00 Set a post for the Cor. of Secs. 21, 22, 27 & 28 fr. wh. a

CLCr\_M17 Brook 8 in. dia bears S 7 E 25 links dist. + a

Hickory 10 " " " N 57 W 27 " "

Township N° 7 N Range N° 1 West 2d Merid

CHS. LKS.

Land rich & level. Timber Birch, Ash & Hickory

East On a Random line between Secs 22 & 27 T7 N R. 1 W  
 36.50 To a Brook 10 links wide. Course S.  
 40.00 Set a Camp. gr. Sec. post  
 46.00 To a Brook 10 links wide. Course N. E.  
 55.00 " " Do 10 " " " S. W.  
 50.00 Intersect the N + S line 24 links N of the post Cor  
 of Secs. 22. 23. 26 & 27. Land the same

West On the true line between Secs 22 & 27 T7 N R. 1 W  
 42.00 Set the Camp. gr. Sec. post at the 40 dist on the true line  
 from which a Brook 25 in dia bears N 18 E 3 links dist  
 and a Do 15 " " " T74 N 11 "  
 50.00 To the post Cor of Secs 21 22. 27 & 28.

North Between Secs 21 & 22 T7 N R. 1 W  
 40.00 Set a gr. Sec. post from which a  
 Survey 12 in. dia bears N 32 E 9 links dist & a  
 Brook 5 " " " S 5 N 7 " "  
 50.00 Set a post for the Cor. of Secs 15. 16. 21. & 22 from  
 a Brook 10 in dia bears N 87 E 15 links dist & a  
 Do 15 " " " T79 N 12 " "

Land rolling & rich. Timber Ash. Oak. Poplar &c

East On a Random line between Secs 15 & 22 T7 N R. 1 W  
 40.00 Set a Camp gr. Sec. post  
 79.56 Intersect the N + S line at the post Cor of Secs  
 14 15. 22 & 23.  
 Land the same.



Township N<sup>o</sup> 7 N. Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

West On the true line between Secs 15 & 22 T 7 N. R. 1 W  
 39.93 Set the temp. gr. Sec. post at the av. dist. in the true line  
 from which a Poplar 100 in dia. bears S 47 N 12 links dist.  
 and a Sugar 20 " " " N 62 E 15 " "  
 79.86 To the post Cor. of Secs 15, 16, 21 & 22.

North Between Secs 15 & 16 T 7 N. R. 1 W.  
 42.00 Set a gr. Sec. post from which a  
 Sugar 7 in. dia. bears S 56 E 11 links dist. & a  
 Do 10 " " " S 86 N 17 " "  
 80.00 Set a post for the Cor. of Secs 9, 10, 15 & 16 pr. av. d.  
 Beech 12 in. dia. bears N 40 N 14 links dist. & a  
 Sugar 8 " " " N 46 E 14 " "  
 Land rich. Timber Oak, Hickory, Sugar Ash, etc.

East On a Random line between Secs 10 & 15 T 7 N. R. 1 W.  
 40.00 Set a temp. gr. Sec. post  
 73.00 To a Brook 4 links wide. Course S  
 80.00 Intersect the N & S line 18 links N of the post  
 Cor. of Secs 10, 11, 14 & 15. Land the same

West On the true line between Secs 10 & 15 T 7 N. R. 1 W.  
 40.00 Set the temp. gr. Sec. post at the av. dist. on  
 the true line from which a Beech 20 in  
 dia. bears S 40 N 18 links dist. & a  
 Sugar 8 in. dia. bears S 88 E 11 links dist.  
 80.00 To the post Cor. of Secs 9, 10, 15 & 16.

Township N° 7 N. Range N° 1 West 2<sup>d</sup> Merid

CHS. LRS.

North Between Secs. 9 & 10 T 7 N R. 1 W  
 42.00 Set a gr. Sec. post from which a  
 Sugar 10 in. dia. bears N 18 E 10 links dist. & a  
 Dogwood 3 " " " N 57 E 9 " "  
 63.00 To a Brook 10 links wide, Course S E  
 80.00 Set a post for the Cor. of Secs 3 & 4 & 9 & 10 from which a  
 Birch 4 in. dia. bears N 4 E 12 links dist. & a  
 Walnut 6 " " " N 35 " "  
 Land the same.

East On a Random line between Secs 3 & 10 T 7 N R. 1 W  
 40.00 Set a Camp gr. Sec. post  
 50.18 Intersect the No S line 25 links S of the post Cor. of  
 Secs. 2, 3, 10 & 11, Land the same.

West On the true line between Secs 3 & 10 T 7 N R. 1 W  
 40.09 Set the Camp gr. Sec. post at the av. dist. on the true line  
 from which a Birch 3 in. dia. bears N 45 E 13 links dist.  
 and a Do 18 " " " S 63 W 31 " "  
 50.18 To the post Cor. of Secs. 3, 4, 9 & 10.

North Between Secs 3 & 4 T 7 N R. 1 W  
 40.00 Set a gr. Sec. post from which a  
 N. Ash 20 in. dia. bears S 10 E 25 links dist. & a  
 Birch 5 " " " S 52 W 4 " "  
 79.94 Intersect the N Boundary, 18 links N of the post Cor.  
 of Secs 3 & 4 T 8 N R. 1 W & set a post for Cor. of  
 Secs 3 & 4 from which a  
 Birch 8 in. dia. bears N 72 E 20 links dist. & a  
 Do 20 " " " S 8 E 27 " "  
 Land the same.

CLCr\_M07

CLCr\_M05

CLCr\_O05

CLCr\_M03

CLCr\_M01



Township N<sup>o</sup> 7 N. Range N<sup>o</sup> 1 West, 2<sup>d</sup> Merid

CHS LNS  
 North Between Secs 32 & 33 T<sup>7</sup> N R. 1 W  
 6.00 To a Spring 3 links wide. Course E.  
 20.00 " " Do 8 " " " E.  
 40.00 Set a gr. Sec. post from which a  
 CLCr\_I23 Ash 20 in. dia. bears N 37 E 8 links dist. & a  
 Beech 6 " " " N 1 W 20 " "  
 43.50 To a Brook 15 links wide. Course N E.  
 80.00 Set a post for the Cor. of Secs. 28, 29, 32 & 33 fr. wh.  
 CLCr\_I21 Beech 12 in. dia. bears S 40 E 14 links dist. & a  
 Do 18 " " " N 52 E 42 " "  
 Land rolling & rich. Timber Sugar. Ash Beech &c.

East On a Random line between Secs. 28 & 33 T<sup>7</sup> N R. 1 W  
 12.00 To a Brook 100 links wide. Course S  
 32.00 To the N. Bend of the same  
 40.00 Set a temp. gr. Sec. post  
 80.00 Intersect the N & S. line 70 links S of the post Cor. of  
 Secs 27, 28, 33 & 34. Land the same.

West Between Secs 28 & 33 T<sup>7</sup> N R. 1 W Intersect line  
 40.00 Set the temp. gr. Sec. post at the av. dist. on the line from  
 CLCr\_K21 from which a W. Oak 20 in. dia. bears N 57 W 13 links  
 and a Do 24 " " " N 72 E 12 " "  
 80.00 Set the post Cor. of Secs 28, 29, 32 & 33.

North Between Secs. 28 & 29 T<sup>7</sup> N R. 1 W  
 40.00 Set a gr. Sec. post from which a  
 CLCr\_I19 Beech 4 in. dia. stands for the Cor. of gr. Sec.  
 55.00 To a Brook 100 links wide. Course E.  
 65.00 To the East Bend of the same.  
 80.00 Set a post for the Cor. of Secs 20, 21, 28 & 29

from wh.  
 links dist.  
 N 61 W 4 links  
 Land the

East On a Random  
 20.00 To a Brook  
 40.00 Set a temp.  
 11.10 Intersect the  
 21.22, 27 & 28  
 Land the

West On the true line  
 40.00 Set the temp. gr.  
 from which a  
 dist. 12  
 65.10 To the post Cor.

North Between Secs  
 40.00 Set a gr. Sec.  
 Elm 18 in. dia.  
 Beech 8 " "  
 49.50 To a Brook  
 60.00 Set a post  
 which a Beech  
 dist. & a Sugar  
 Land the

East On a Random  
 32.00 To a Brook  
 40.00 Set a temp.

23 Merid

Township N<sup>o</sup> 7 N. Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

CHS LKS

from which a Sugar - in dia. bears S 76 E 21  
links dist. & a Ironwood 4 in. dia. bears  
N 68 W 4 links dist.  
Land the same.

East On a Random line between Secs. 21 + 28 T<sup>7</sup> N. R. 1 W.  
6.50 To a Brook 12 links wide. Course S. E.  
40.00 Set a Camp gr. Sec. post  
80.10 Intersect the N + S line at the post Cor. of Secs  
21 22 27 + 28.  
Land the same.

West On the true line between Secs 21 + 28 T<sup>7</sup> N. R. 1 W.  
40.00 Set the Camp gr. Sec. post at the av. dist on the true line  
from which a Sugar 8 in dia bears N 76 E 21 links  
dist. & a " 8 " " " S 12 E 21 "  
80.10 To the post Cor. of Secs. 20. 21. 28 + 29.

North Between Secs. 20 + 21 T<sup>7</sup> N. R. 1 W.  
40.00 Set a gr. Sec. post from which a  
Elm 18 in. dia bears N 14 W 26 links dist. & a  
Beech 8 " " " S 26 W 19 "  
69.50 To a Brook 10 links wide. Course E.  
80.00 Set a post for the Cor. of Secs. 16 17. 20 + 21 fr  
which a Beech 26 in. dia. bears N 18 E 12 links  
dist. & a Sugar 4 in. dia bears S 20 W. 6 "  
Land the same.

East On a Random line between Secs. 16 + 21 T<sup>7</sup> N. R. 1 W.  
32.00 To a Brook 20 links wide. Course S. W.  
40.00 Set a Camp gr. Sec. post



Township N<sup>o</sup> 7 N. Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

80.12 Intersect the N & S line at the post Cor. of Secs  
15, 16 & 21 & 22  
Land the same

West On the line between Secs 16 & 21 T<sup>7</sup> N<sup>o</sup> 1 R<sup>1</sup> W<sup>2</sup>  
40.00 Set the temp. gr. Sec. post at the 100 dist on the line  
from which a Sugar 10 in dia bears N 20 E 20 links  
dist & a " 5 " " " S 33 E 21 "

80.12 To the post Cor. of Secs 16, 17, 20 & 21

North Between Secs 16 & 17 T<sup>7</sup> N<sup>o</sup> 1 R<sup>1</sup> W<sup>2</sup>  
40.00 Set a gr. Sec. post from which a  
Beech 5 in dia bears S 29 E 19 links dist & a  
Do 4 " " " N 81 E 20 " "

51.00 To a Brook 3 links wide, Course E

80.00 Set a post for the Cor. of Secs 8, 9, 16 & 17 from which  
Beech 30 in dia bears E 3 links dist & a  
Sugar 8 " " " S 40 W 28 " "  
Land the same

East On a Random line between Secs 9 & 16 T<sup>7</sup> N<sup>o</sup> 1 R<sup>1</sup> W<sup>2</sup>

4.00 To a Brook 6 links wide Course S

42.00 Set a temp. gr. Sec. post

66.00 To a Brook 10 links wide Course S

79.20 Intersect the N & S line 44 links N of the post  
Cor. of Secs 9, 10, 15 & 16 Land the same

West On the  
89.60 Set a  
from  
links  
874 N  
77.30 To the

North Between  
42.00 Set a  
Beech  
Do  
50.00 Set a  
Sugar  
Beech  
Land

East On a  
42.00 Set a  
60.00 To a  
79.20 Intersect  
S. H. 9 +

West On the  
89.60 Set the  
from a  
links  
links  
79.20 To the

East On a  
42.00 Set a  
60.00 To a  
79.20 Intersect  
S. H. 9 +

West On the  
89.60 Set the  
from a  
links  
links  
79.20 To the

East On a  
42.00 Set a  
60.00 To a  
79.20 Intersect  
S. H. 9 +

West On the  
89.60 Set the  
from a  
links  
links  
79.20 To the

East On a  
42.00 Set a  
60.00 To a  
79.20 Intersect  
S. H. 9 +

West On the  
89.60 Set the  
from a  
links  
links  
79.20 To the

East On a  
42.00 Set a  
60.00 To a  
79.20 Intersect  
S. H. 9 +

West 2d Merid  
Township N<sup>o</sup> 7 N. Range N<sup>o</sup> 1 West 2d Merid

CHS. LKS

West On the true line between Secs 9+16 T7 N.R. 1 W  
39.60 Set the camp go Sec post at the av. dist. on the true line  
CLCr\_K09 from which a Sugar 6 in dia bears N13 E 17  
links dist. and an Ironwood 5 in. dia. bears  
S74 N14 links.

77.20 To the post Cor of Secs 8, 9, 16+17.

North Between Secs 8+9 T7 N.R. 1 W.

40.00 Set a go Sec post from which a  
CLCr\_I07 Beech 3 in. dia bears S36 N26 links dist & a  
Do 10 " " " S42 E25 " "

80.00 Set a post for the Cor of Secs 4, 5, 8, & 9 from which a  
CLCr\_I05 Sugar 15 in. dia. bears N8 E13 links dist & a  
Beech 20 " " " S79 N26 " "  
Land the same

East On a Random line between Secs 4+9 T7 N.R. 1 W  
40.00 Set a camp go Sec. post  
60.00 To a Break 10 links wide. Course S.  
77.28 Intersect the N+S line at the post Cor of Secs  
3, 4, 9+10 Land the same.

West On the true line between Secs 4+9 T7 N.R. 1 W  
39.64 Set the camp go Sec. post at the av. dist. on the true line  
CLCr\_K05 from which a Sugar 15 in dia. bears S75 E17  
links dist and a Do 12 " " S7 E27  
links dist

79.28 To the post Cor of Secs 4, 5, 8+9.



Township N<sup>o</sup> 7 N. Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

CHS LKS  
 North Between Secs 4 & 5 T<sup>7</sup> N. R. 1 W  
 11.00 To a Poplar 20 in. dia in the line.  
 40.00 Set a gr. Sec. post from which a  
 C1Cr\_I03 Hickory 20 in. dia bears N 46 E 6 links dist. & a  
 Dogwood 4 " " " S 14 E 18 " "  
 64.00 To a Brook 10 links wide. Course N  
 80.22 Intersect the N Boundary, 33 links E of the post  
 C1Cr\_I01 Cor. of Secs. 32 & 33 T<sup>8</sup> N. R. 1 W. set a post for  
 the Cor. of Secs 4 & 5 from which a  
 Beech 15 in. dia bears N 79 W 28 links dist. & a  
 Hickory 20 " " " S 34 E 10 " "  
 Land and soil the same

North Between Secs 31 & 32 T<sup>7</sup> N. R. 1 W  
 40.00 Set a gr. Sec. post from which a  
 C1Cr\_E23 Beech 10 in. dia. bears S 59 E 21 links dist. & a  
 Do 12 " " " S 78 N 27 " "  
 48.00 To a Brook 20 links wide. Course N. E.  
 80.00 Set a post for the Cor. of Secs. 29, 30, 31 & 32  
 C1Cr\_E21 from which a Dogwood 4 in. dia. bears S 64  
 E 26 links dist. & a Elm 7 " " " N 59  
 W 20 links dist  
 Land rolling. Timber the same.

East On a Random line between Secs. 29 & 32 T<sup>7</sup> N. R. 1 W  
 40.00 Set a temp. gr. Sec. post  
 80.18 Intersect the N & S line at the post cor. of  
 Secs 29, 30, 31 & 32  
 Land the same

Township N<sup>o</sup> 7 N. Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

West On the true line between Secs 29+32 T<sup>7</sup> N. R. 1 W  
 42.79 Set the temp. gr. Sec. post as the av. dist. on the true line  
 from which a Beech 10 in. dia. bears N 28 E 21  
 links dist. & a do 4 " " S 85 E 22

83.18 To the post Cor. of Secs. 29, 30, 31 & 32.

West Between Secs. 30+31 T<sup>7</sup> N. R. 1 W  
 42.00 Set a gr. Sec. post from which a  
 Hickory 1.5 in. dia. bears N 72 W 23 links dist & a  
 Sugar 8 " " S 25 E 32 " "

84.85 In the N. Boundary 25 links S of the post  
 Cor. of Secs. 25+36 T<sup>7</sup> N. R. 2 W & set a post for the  
 Cor. of Secs. 30+31 from which a  
 Beech 8 in. dia. bears N 45 E 55 links dist & a  
 do 4 " " S 71 E 30 " "  
 Land the same.

North Between Secs 29+30 T<sup>7</sup> N. R. 1 W  
 40.00 Set a gr. Sec. post from which a  
 Sugar 8 in. dia. bears S 16 N 19 links dist & a  
 do 8 " " S 77 E 33 " "  
 80.00 Set a post for the Cor. of Secs 19, 20, 29+30 from which  
 Beech 15 in. dia. bears N 59 E 22 links dist & a  
 do 25 " " S 48 E 31 " "  
 Land the same

East On a Random line between Secs 20+29 T<sup>7</sup> N. R. 1 W  
 31.50 To a Brook 75 links wide Course S. E.  
 37.50 " do 75 " " N. E.  
 40.00 Set a temp. gr. Sec. post



Township N<sup>o</sup> 7 N. Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

40.50 To a Brook 75 links wide. Course S. E.  
 81.00 Intersect the N + S line 150 links N of the post Cor of  
 Secs 20, 21, 28 + 29 Land the same

West On the true line between Secs 20 + 29 T 7 N R. 1 W

40.50 Set the link y. Sec post at the av. dist on the true line  
 from which a - This course could not be established

81.00 To the post Cor of Secs 19, 20, 29 + 30

West Between Secs 19 + 30 T 7 N R. 1 W

12.00 To a Brook 15 links wide Course N. E.

40.00 Set a gr. Sec. post from which a  
 Creek 8 in. dia bears N 4 E 34 links dist. ra  
 Do 10 " " " S 35 N 11 " "

62.00 To a Brook 12 links wide Course N. E.

84.74 Intersect the N. Boundary 164 links S of the post  
 Cor. of Secs 24 + 25 T 7 N R. 2 W + set a post  
 for the Cor. of Secs 19 + 30 from which a  
 A Hickory 14 in. dia. stands for the Cor. of Secs  
 19 + 30 Land the same.

North Between Secs 19 + 20 T 7 N R. 1 W

24.00 To a Brook 50 links wide Course N. E.

40.00 Set a gr. Sec. post from which a  
 Hickory 12 in. dia. bears S 40 N 17 links dist. ra  
 Sugar 15 " " " N 40 E 26 " "

80.00 Set a post for the Cor. of Secs 17, 18, 19 + 20 fr. wh. a  
 Creek 15 in. dia. bears S 73 E 11 links dist. ra  
 Do 10 " " " S 63 N 15 " "  
 Land the same

Township N<sup>o</sup>

Post On a R  
 27.00 To a R  
 40.00 Set a gr  
 1.40 Intersect  
 y Secs 1

West On the true  
 40.00 Set the link  
 from which  
 dist. ra

10.40 Set the po

West Between

30.50 To a Brook

40.00 Set a gr. Sec.

N Walnut

Ironwood

40.00 To a Brook

62.50 " " do

73.00 " " do

85.00 Intersect the

Cor. of Sec

of Secs 10

Creek 4 in

do 4 "

Land the

North Between

40.00 Set a gr. Sec

N Oak 9 4

Township N<sup>o</sup> 7 N Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

CHS LXS  
East On a Random line between Secs 17+20 T7 N R 1 W  
37.70 To a Brook 12 links wide Course S. W.  
40.00 Set a bump gr Sec post  
60.40 Intersect the N. & S. line 20 links N of the post Cor.  
of Secs 16, 17, 20 + 21 Land the same

West On the true line between Secs 17+20 T7 N R 1 W  
40.20 Set the bump gr Sec post as the ad. dist. on the true line  
from which a Birch 10 in. dia bears N 26 E 5 links  
dist & a Do S " " " S 19 N 9 "

60.40 Set the post Cor of Secs 17, 18, 19 + 20.

West Between Secs 18 + 19 T7 N R 1 W  
30.50 To a Brook 12 links wide Course S. W.  
40.00 Set a gr Sec post from which a  
N Walnut 12 in. dia. bears N 82 E 40 links dist & a  
Ironwood S " " " N 20 E 30 " "

40.03 To a Brook 70 links wide Course S. E.

52.50 " " Do 75 " " " N. W.

79.00 " " Do 79 " " " S. E.

85.00 Intersect the N. Boundary 250 links S of the post  
Cor. of Secs 13 + 14 T7 N R 2 W + set a post for the Cor.  
of Secs 18 + 19 from which a  
Birch 4 in dia bears N 54 W 4 links dist & a  
do 4 " " " S 42 E 8 " "  
Land the same

North Between Secs 17 + 18 T7 N. R 1 W.

40.00 Set a gr Sec. post from which a

N Oak 9 1/2 in. dia bears S 30 E 6 links dist. & a



Township N<sup>o</sup> 7 N. Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

CLCr\_E09  
 430'  
 350'  
 180'  
 Beech 6 in. dia. bears S 88 W 12 links dist  
 80.00 Set a post for the Cor. of Secs 7, 8, 17 & 18 from which  
 Beech 30 in. dia. bears S 15 links dist & a  
 Do 12 " " " N 43 W 12 links dist  
 Land rolling Timber Beech Sugar Poplar Ash

East On a Random line between Secs. 8 & 17 T 7 N R. 1 W  
 13.00 To a Beech 6 links wide, Course S  
 40.00 Set a temp. gr. Sec. post  
 80.00 Intersect the N & S line 12 links S of the post Cor.  
 of Secs. 8, 9, 16 & 17 Land the same

CLCr\_G09  
 West On the true line between Secs. 8 & 17 T 7 N R. 1 W  
 40.00 Set the temp. gr. Sec. post at the av. dist on the true line  
 from which a Beech 12 in. dia. bears S 6 E 4 links  
 dist and a do 4 " " " N 28 E 5 "  
 80.00 To the post Cor. of Secs 7, 8, 17 & 18.

CLCr\_E07  
 North Between Secs. 7 & 8 T 7 N R. 1 W.  
 18.00 To a Poplar 36 in. dia. in the line  
 40.00 Set a gr. Sec. post from which a  
 Beech 7 in. dia. bears S 13 E 4 links dist & a  
 Do 6 " " " N 24 W 22 "  
 46.00 To a Brook 10 links wide Course N  
 80.00 Set a post for the Cor. of Secs. 5, 6, 7 & 8 from which  
 a Beech 18 in. dia. bears S 8 links dist. & a  
 Sugar 12 " " " S 56 E 43 links dist  
 Land the same  
 CLCr\_E05

Downship N<sup>o</sup> 7 N Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

- CHS LKS
- East On a Random line between Secs. 5 & 8 T<sup>7</sup> N. R. 1 W  
 33.00 To a Brook 10 links wide. Course S. W  
 40.00 Set a temp. gr. Sec. post  
 74.16 Intersect the N. & S. line 33 links S of the post.  
 Cor of Secs 4 & 5. 8 & 9. Land the same.
- West On the true line between Sec. 5 & 8 T<sup>7</sup> N. R. 1 W.  
 39.58 Set the temp. gr. Sec. post at the av. dist on the true line  
 from which a Poplar 10 in. dia bears S 7 N 10 links dist  
 and a Sugar 5 " " " N 75 E 9 " "  
 79.16 To the post Cor of Secs. 5 & 6. 7 & 8.
- West Between Secs. 6 & 7 T<sup>7</sup> N. R. 1 W  
 40.00 Set a gr. Sec. post from which a  
 Sugar 10 in dia bears N 36 E 3 links dist & a  
 Do 9 " " " S 37 W 35 " "  
 81.00 To a Brook 100 links wide. Course S.  
 83.43 Intersect the West Boundary 385 links South  
 of the post Cor of Secs 1 & 2 T<sup>7</sup> N. R. 2 W and  
 set a post for the Cor of Secs 6 & 7 from which a  
 Sycamore 24 in. dia bears East 19 links dist & a  
 Elm 12 " " " S 5 E 31 " "  
 Land the same.
- West Between Secs. 7 & 18 T<sup>7</sup> N. R. 1 W  
 23.00 To a Brook 8 links wide. Course N.  
 40.00 Set a gr. Sec. post from which a  
 B. Walnut 36 in. dia bears N 24 E 19 links dist & a  
 Ash 18 " " " S 35 W 19 " "  
 83.40 Intersect the West Boundary 439 links S of  
 the post Cor of Secs. 12 & 13 T<sup>7</sup> N. R. 2 W and

CICr\_G05

CICr\_C05

CICr\_A05

CICr\_C09



Township N<sup>o</sup> 7 N Range N<sup>o</sup> 1 West 2<sup>d</sup> Merid

CHS LXS

CICr\_A09

Set a post for the Cor of Secs 7 & 18 from which a  
Sugar 12 in. dia bears N 36 E 36 links dist & a  
Hickberry 12. " " S 50 N 20 " "  
Land the same.

North Between Secs 5 & 6 T 7 N R. 1 W

40.00 Set a g. Sec. post from which a

CICr\_E03

Beech 8 in. dia bears S 29 E 24 links dist & a  
Sugar 5. " " N 33 N 11 " "

44.00 To a Brook 20 links wide Corner N

67.00 " Do 10 " " W

50.54 Intersect the N Boundary 145 links East of  
the post Cor of Secs 31 & 32 T 7 N R. 1 W & set a  
post for the Cor of Secs. 5 & 6 from which a  
Sugar 12 in. dia bears S 66 N 20 links dist & a  
Dogwood 5 " " S 44 N 20 " "  
Land the same.

CICr\_E01

Surveyed by

Arthur Henric

Asst. Surveyor

I certify that the foregoing Transcript of the  
Field Notes of T. N<sup>o</sup> 7 N Range N<sup>o</sup> 1 West  
2<sup>d</sup> Merid in Indiana has been compared  
with the original notes in this office &  
found to be correct.

Surveyor General's Office }  
Cincinnati Oct 17<sup>th</sup> 1841 }

Surveyor General